

Datasheet for Metal based Random Packing

Type	Manufacturing Style	Dimensions(Dia×Height×Thick) mm	Surface Area m ² /m ³	Void Volume Σm ³ /m ³	Bulk Density YP Kg/m ³	No. of Elements n/m ³	Drying Packing Factor a/Σ ³ m ⁻¹
QWP Conjugate Ring	25	25×25×0.3	185	95	312	75000	216
	38	38×38×0.5	116	96	275	19500	131
	50	50×50×0.8	86	96	275	9770	97
	76	76×76×1.0	81	97	245	3980	95
QWP VSP Ring	25	25×25×0.6	250	93	420	59200	310
	38	38×38×0.6	138	95	296	14000	163
	50	50×50×0.8	121	95	350	7000	144
QWP Intasaddle Ring	25	25×20×0.6	185	96	409	101160	209
	38	38×30×0.8	112	96	365	24680	137
	50	50×40×1.0	75	96	291	10400	85
	76	76×60×1.2	58	97	245	3320	63
QWP HQM flat Ring	16	16×5.5×0.5	348	92	604	630000	312
	25	25×9.0×0.6	228	94	506	160000	280
	38	38×12.7×0.7	150	95	390	48000	175
QWP Cascade Ring	50	50×17×0.8	115	97	275	21500	156
	25	25×12.5×0.5	221	95	383	98120	257
	38	38×19×0.6	153	96	325	30040	173
	50	50×25×0.8	109	96	308	12340	123
QWP Pall Ring	76	76×38×1.2	72	96	306	3540	81
	25	25×25×0.5	219	95	393	15180	255
	38	38×38×0.6	146	96	318	6500	165
	50	50×50×0.8	109	96	314	6500	124
	76	76×76×1.2	71	96	308	1830	80